

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
	20-24	Count	5	1	6
		% within Sex	26.3%	20.0%	25.0%
	25-29	Count	4	2	6
		% within Sex	21.1%	40.0%	25.0%
	30-34	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
	35-39	Count	4	1	5
		% within Sex	21.1%	20.0%	20.8%
	40-44	Count	2	1	3
		% within Sex	10.5%	20.0%	12.5%
	45-49	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
	50-54	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
	Total		19	5	24
			100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
	Hispanic	Count	18	5	23
		% within Sex	94.7%	100.0%	95.8%
	Total		19	5	24
			100.0%	100.0%	100.0%

a. HSDA = Laredo

HIV Infection Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4	0	4
		% within Sex	21.1%	.0%	16.7%
	IDU	Count	1	1	2
		% within Sex	5.3%	20.0%	8.3%
	M-M & IDU	Count	1	0	1
		% within Sex	5.3%	.0%	4.2%
	Heterosexual Contact	Count	6	1	7
		% within Sex	31.6%	20.0%	29.2%
	Not Classified	Count	7	3	10
		% within Sex	36.8%	60.0%	41.7%
Total	Count	19	5	24	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	1
		% within Adult-Ped	4.2%	4.2%
	Hispanic	Count	23	23
		% within Adult-Ped	95.8%	95.8%
Total		Count	24	24
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	16.7%	6.3%
	20-24	Count	2	0	2
		% within Sex	20.0%	.0%	12.5%
	25-29	Count	3	1	4
		% within Sex	30.0%	16.7%	25.0%
	30-34	Count	3	2	5
		% within Sex	30.0%	33.3%	31.3%
	35-39	Count	2	2	4
		% within Sex	20.0%	33.3%	25.0%
	Total	Count	10	6	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	Hispanic	Count	10	6	16
		% within Sex	100.0%	100.0%	100.0%
Total		Count	10	6	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7	0	7
		% within Sex	70.0%	.0%	43.8%
	IDU	Count	1	1	2
		% within Sex	10.0%	16.7%	12.5%
	Heterosexual Contact	Count	0	5	5
		% within Sex	.0%	83.3%	31.3%
	Not Classified	Count	2	0	2
		% within Sex	20.0%	.0%	12.5%
	Total	Count	10	6	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

HIV Infection Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	Hispanic	Count	16	16
		% within Adult-Ped	100.0%	100.0%
Total		Count	16	16
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	5-12	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	13-19	Count	3	2	5
		% within Sex	3.9%	5.9%	4.5%
	20-24	Count	13	9	22
		% within Sex	16.9%	26.5%	19.8%
	25-29	Count	20	6	26
		% within Sex	26.0%	17.6%	23.4%
	30-34	Count	12	7	19
		% within Sex	15.6%	20.6%	17.1%
	35-39	Count	12	5	17
		% within Sex	15.6%	14.7%	15.3%
	40-44	Count	6	2	8
		% within Sex	7.8%	5.9%	7.2%
	45-49	Count	3	1	4
		% within Sex	3.9%	2.9%	3.6%
	50-54	Count	5	2	7
		% within Sex	6.5%	5.9%	6.3%
	70+	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
Total	Count	77	34	111	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4	2	6
		% within Sex	5.2%	5.9%	5.4%
	African American	Count	0	1	1
		% within Sex	.0%	2.9%	.9%
	Hispanic	Count	73	31	104
		% within Sex	94.8%	91.2%	93.7%
	Total		Count	77	34
			% within Sex	100.0%	100.0%

a. HSDA = Laredo

Cumulative Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	29	0	29
		% within Sex	37.7%	.0%	26.1%
	IDU	Count	11	6	17
		% within Sex	14.3%	17.6%	15.3%
	M-M & IDU	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	Heterosexual Contact	Count	10	18	28
		% within Sex	13.0%	52.9%	25.2%
	Not Classified	Count	24	10	34
		% within Sex	31.2%	29.4%	30.6%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	Ped Other-Undet	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
Total	Count	77	34	111	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	6	6
		% within Adult-Ped	.0%	5.5%	5.4%
	African American	Count	0	1	1
		% within Adult-Ped	.0%	.9%	.9%
	Hispanic	Count	2	102	104
		% within Adult-Ped	100.0%	93.6%	93.7%
Total	Count	2	109	111	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Laredo

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	5-12	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	13-19	Count	3	2	5
		% within Sex	4.0%	6.1%	4.6%
	20-24	Count	13	9	22
		% within Sex	17.3%	27.3%	20.4%
	25-29	Count	20	6	26
		% within Sex	26.7%	18.2%	24.1%
	30-34	Count	11	7	18
		% within Sex	14.7%	21.2%	16.7%
	35-39	Count	12	5	17
		% within Sex	16.0%	15.2%	15.7%
	40-44	Count	6	2	8
		% within Sex	8.0%	6.1%	7.4%
	45-49	Count	3	0	3
		% within Sex	4.0%	.0%	2.8%
	50-54	Count	4	2	6
		% within Sex	5.3%	6.1%	5.6%
	70+	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
Total	Count	75	33	108	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	5-12	Count	2	0	2
		% within Sex	2.7%	.0%	1.9%
	13-19	Count	1	1	2
		% within Sex	1.3%	3.0%	1.9%
	20-24	Count	7	3	10
		% within Sex	9.3%	9.1%	9.3%
	25-29	Count	14	8	22
		% within Sex	18.7%	24.2%	20.4%
	30-34	Count	16	7	23
		% within Sex	21.3%	21.2%	21.3%
	35-39	Count	10	6	16
		% within Sex	13.3%	18.2%	14.8%
	40-44	Count	15	5	20
		% within Sex	20.0%	15.2%	18.5%
	45-49	Count	3	1	4
		% within Sex	4.0%	3.0%	3.7%
	50-54	Count	4	1	5
		% within Sex	5.3%	3.0%	4.6%
	55-59	Count	2	1	3
		% within Sex	2.7%	3.0%	2.8%
	70+	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
Total		Count	75	33	108
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4	2	6
		% within Sex	5.3%	6.1%	5.6%
	African American	Count	0	1	1
		% within Sex	.0%	3.0%	.9%
	Hispanic	Count	71	30	101
		% within Sex	94.7%	90.9%	93.5%
	Total	Count	75	33	108
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo



Living Reported HIV Infection Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	29	0	29
		% within Sex	38.7%	.0%	26.9%
	IDU	Count	10	5	15
		% within Sex	13.3%	15.2%	13.9%
	M-M & IDU	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	Heterosexual Contact	Count	10	18	28
		% within Sex	13.3%	54.5%	25.9%
	Not Classified	Count	23	10	33
		% within Sex	30.7%	30.3%	30.6%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
	Ped Other-Undet	Count	1	0	1
		% within Sex	1.3%	.0%	.9%
Total	Count	75	33	108	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	6	6
		% within Adult-Ped	.0%	5.7%	5.6%
	African American	Count	0	1	1
		% within Adult-Ped	.0%	.9%	.9%
	Hispanic	Count	2	99	101
		% within Adult-Ped	100.0%	93.4%	93.5%
Total	Count	2	106	108	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Laredo

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	0	1	1
		% within Sex	.0%	16.7%	4.8%
	25-29	Count	2	2	4
		% within Sex	13.3%	33.3%	19.0%
	30-34	Count	3	1	4
		% within Sex	20.0%	16.7%	19.0%
	35-39	Count	3	0	3
		% within Sex	20.0%	.0%	14.3%
	40-44	Count	3	0	3
		% within Sex	20.0%	.0%	14.3%
	45-49	Count	2	1	3
		% within Sex	13.3%	16.7%	14.3%
	50-54	Count	1	1	2
		% within Sex	6.7%	16.7%	9.5%
	60-64	Count	1	0	1
		% within Sex	6.7%	.0%	4.8%
Total	Count	15	6	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1	0	1
		% within Sex	6.7%	.0%	4.8%
	African American	Count	0	1	1
		% within Sex	.0%	16.7%	4.8%
	Hispanic	Count	14	5	19
		% within Sex	93.3%	83.3%	90.5%
	Total		Count	15	6
			% within Sex	100.0%	100.0%

a. HSDA = Laredo

AIDS Cases Reported during 2003  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7	0	7
		% within Sex	46.7%	.0%	33.3%
	Heterosexual Contact	Count	3	3	6
		% within Sex	20.0%	50.0%	28.6%
	Not Classified	Count	5	3	8
		% within Sex	33.3%	50.0%	38.1%
Total	Count	15	6	21	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	1
		% within Adult-Ped	4.8%	4.8%
	African American	Count	1	1
		% within Adult-Ped	4.8%	4.8%
	Hispanic	Count	19	19
		% within Adult-Ped	90.5%	90.5%
Total	Count	21	21	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Laredo

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	25-29	Count	6	0	6
		% within Sex	28.6%	.0%	24.0%
	30-34	Count	2	0	2
		% within Sex	9.5%	.0%	8.0%
	35-39	Count	6	2	8
		% within Sex	28.6%	50.0%	32.0%
	40-44	Count	5	0	5
		% within Sex	23.8%	.0%	20.0%
	45-49	Count	2	1	3
		% within Sex	9.5%	25.0%	12.0%
	65-69	Count	0	1	1
		% within Sex	.0%	25.0%	4.0%
	Total		21	4	25
			100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	African American	Count	1	0	1
		% within Sex	4.8%	.0%	4.0%
	Hispanic	Count	20	4	24
		% within Sex	95.2%	100.0%	96.0%
	Total		21	4	25
			100.0%	100.0%	100.0%

a. HSDA = Laredo

AIDS Cases Reported during 2002  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	8	0	8
		% within Sex	38.1%	.0%	32.0%
	IDU	Count	1	0	1
		% within Sex	4.8%	.0%	4.0%
	M-M & IDU	Count	1	0	1
		% within Sex	4.8%	.0%	4.0%
	Hemophiliac	Count	1	0	1
		% within Sex	4.8%	.0%	4.0%
	Heterosexual Contact	Count	1	2	3
		% within Sex	4.8%	50.0%	12.0%
	Not Classified	Count	9	2	11
		% within Sex	42.9%	50.0%	44.0%
Total	Count	21	4	25	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	African American	Count	1	1
		% within Adult-Ped	4.0%	4.0%
	Hispanic	Count	24	24
		% within Adult-Ped	96.0%	96.0%
Total		Count	25	25
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	4	0	4
		% within Sex	1.6%	.0%	1.4%
	20-24	Count	10	5	15
		% within Sex	3.9%	12.5%	5.1%
	25-29	Count	54	9	63
		% within Sex	21.2%	22.5%	21.4%
	30-34	Count	56	8	64
		% within Sex	22.0%	20.0%	21.7%
	35-39	Count	52	3	55
		% within Sex	20.4%	7.5%	18.6%
	40-44	Count	33	6	39
		% within Sex	12.9%	15.0%	13.2%
	45-49	Count	24	4	28
		% within Sex	9.4%	10.0%	9.5%
	50-54	Count	14	3	17
		% within Sex	5.5%	7.5%	5.8%
	55-59	Count	3	1	4
		% within Sex	1.2%	2.5%	1.4%
	60-64	Count	3	0	3
		% within Sex	1.2%	.0%	1.0%
	65-69	Count	1	1	2
		% within Sex	.4%	2.5%	.7%
	70+	Count	1	0	1
		% within Sex	.4%	.0%	.3%
Total		Count	255	40	295
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	13	2	15
		% within Sex	5.1%	5.0%	5.1%
	African American	Count	4	1	5
		% within Sex	1.6%	2.5%	1.7%
	Hispanic	Count	238	37	275
		% within Sex	93.3%	92.5%	93.2%
Total	Count	255	40	295	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

Cumulative Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	147	0	147
		% within Sex	57.6%	.0%	49.8%
	IDU	Count	35	6	41
		% within Sex	13.7%	15.0%	13.9%
	M-M & IDU	Count	15	0	15
		% within Sex	5.9%	.0%	5.1%
	Hemophiliac	Count	5	0	5
		% within Sex	2.0%	.0%	1.7%
	Heterosexual Contact	Count	10	27	37
		% within Sex	3.9%	67.5%	12.5%
	Transfusion	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Classified	Count	42	7	49
		% within Sex	16.5%	17.5%	16.6%
Total	Count	255	40	295	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	15	15
		% within Adult-Ped	5.1%	5.1%
	African American	Count	5	5
		% within Adult-Ped	1.7%	1.7%
	Hispanic	Count	275	275
		% within Adult-Ped	93.2%	93.2%
Total	Count	295	295	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Laredo

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	1	0	1
		% within Sex	.8%	.0%	.6%
	20-24	Count	4	1	5
		% within Sex	3.0%	4.3%	3.2%
	25-29	Count	29	8	37
		% within Sex	22.0%	34.8%	23.9%
	30-34	Count	30	5	35
		% within Sex	22.7%	21.7%	22.6%
	35-39	Count	26	2	28
		% within Sex	19.7%	8.7%	18.1%
	40-44	Count	22	2	24
		% within Sex	16.7%	8.7%	15.5%
	45-49	Count	10	2	12
		% within Sex	7.6%	8.7%	7.7%
	50-54	Count	6	1	7
		% within Sex	4.5%	4.3%	4.5%
	55-59	Count	2	1	3
		% within Sex	1.5%	4.3%	1.9%
	60-64	Count	2	0	2
		% within Sex	1.5%	.0%	1.3%
	65-69	Count	0	1	1
		% within Sex	.0%	4.3%	.6%
Total		Count	132	23	155
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo



Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	25-29	Count	8	2	10
		% within Sex	6.1%	8.7%	6.5%
	30-34	Count	20	3	23
		% within Sex	15.2%	13.0%	14.8%
	35-39	Count	26	9	35
		% within Sex	19.7%	39.1%	22.6%
	40-44	Count	37	2	39
		% within Sex	28.0%	8.7%	25.2%
	45-49	Count	20	4	24
		% within Sex	15.2%	17.4%	15.5%
	50-54	Count	10	0	10
		% within Sex	7.6%	.0%	6.5%
	55-59	Count	6	2	8
		% within Sex	4.5%	8.7%	5.2%
	60-64	Count	3	0	3
		% within Sex	2.3%	.0%	1.9%
	65-69	Count	1	0	1
		% within Sex	.8%	.0%	.6%
	70+	Count	1	1	2
		% within Sex	.8%	4.3%	1.3%
Total		Count	132	23	155
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	8	2	10
		% within Sex	6.1%	8.7%	6.5%
	African American	Count	3	1	4
		% within Sex	2.3%	4.3%	2.6%
	Hispanic	Count	121	20	141
		% within Sex	91.7%	87.0%	91.0%
Total	Count	132	23	155	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

Living Reported AIDS Cases through 12/31/03  
(from the 01/15/04 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	73	0	73
		% within Sex	55.3%	.0%	47.1%
	IDU	Count	15	4	19
		% within Sex	11.4%	17.4%	12.3%
	M-M & IDU	Count	8	0	8
		% within Sex	6.1%	.0%	5.2%
	Hemophiliac	Count	2	0	2
		% within Sex	1.5%	.0%	1.3%
	Heterosexual Contact	Count	10	14	24
		% within Sex	7.6%	60.9%	15.5%
	Transfusion	Count	1	0	1
		% within Sex	.8%	.0%	.6%
	Not Classified	Count	23	5	28
		% within Sex	17.4%	21.7%	18.1%
Total	Count	132	23	155	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	10	10
		% within Adult-Ped	6.5%	6.5%
	African American	Count	4	4
		% within Adult-Ped	2.6%	2.6%
	Hispanic	Count	141	141
		% within Adult-Ped	91.0%	91.0%
Total	Count	155	155	
	% within Adult-Ped	100.0%	100.0%	

a. HSDA = Laredo

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**HSDA = Laredo**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	5-12	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	13-19	Count	4	2	6
		% within Sex	1.9%	3.6%	2.3%
	20-24	Count	17	10	27
		% within Sex	8.2%	17.9%	10.3%
	25-29	Count	49	14	63
		% within Sex	23.7%	25.0%	24.0%
	30-34	Count	41	12	53
		% within Sex	19.8%	21.4%	20.2%
	35-39	Count	38	7	45
		% within Sex	18.4%	12.5%	17.1%
	40-44	Count	28	4	32
		% within Sex	13.5%	7.1%	12.2%
	45-49	Count	13	2	15
		% within Sex	6.3%	3.6%	5.7%
	50-54	Count	10	3	13
		% within Sex	4.8%	5.4%	4.9%
55-59	Count	2	1	3	
	% within Sex	1.0%	1.8%	1.1%	
60-64	Count	2	0	2	
	% within Sex	1.0%	.0%	.8%	
65-69	Count	0	1	1	
	% within Sex	.0%	1.8%	.4%	
70+	Count	1	0	1	
	% within Sex	.5%	.0%	.4%	
Total		Count	207	56	263
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	5-12	Count	2	0	2
		% within Sex	1.0%	.0%	.8%
	13-19	Count	1	1	2
		% within Sex	.5%	1.8%	.8%
	20-24	Count	7	3	10
		% within Sex	3.4%	5.4%	3.8%
	25-29	Count	22	10	32
		% within Sex	10.6%	17.9%	12.2%
	30-34	Count	36	10	46
		% within Sex	17.4%	17.9%	17.5%
	35-39	Count	36	15	51
		% within Sex	17.4%	26.8%	19.4%
	40-44	Count	52	7	59
		% within Sex	25.1%	12.5%	22.4%
	45-49	Count	23	5	28
		% within Sex	11.1%	8.9%	10.6%
	50-54	Count	14	1	15
		% within Sex	6.8%	1.8%	5.7%
	55-59	Count	8	3	11
		% within Sex	3.9%	5.4%	4.2%
	60-64	Count	3	0	3
		% within Sex	1.4%	.0%	1.1%
	65-69	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	70+	Count	2	1	3
		% within Sex	1.0%	1.8%	1.1%
Total		Count	207	56	263
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	12	4	16
		% within Sex	5.8%	7.1%	6.1%
	African American	Count	3	2	5
		% within Sex	1.4%	3.6%	1.9%
	Hispanic	Count	192	50	242
		% within Sex	92.8%	89.3%	92.0%
	Total		Count	207	56
			% within Sex	100.0%	100.0%

a. HSDA = Laredo

Prevalent Reported Cases of HIV/AIDS through 12/31/03  
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	102	0	102
		% within Sex	49.3%	.0%	38.8%
	IDU	Count	25	9	34
		% within Sex	12.1%	16.1%	12.9%
	M-M & IDU	Count	9	0	9
		% within Sex	4.3%	.0%	3.4%
	Hemophiliac	Count	2	0	2
		% within Sex	1.0%	.0%	.8%
	Heterosexual Contact	Count	20	32	52
		% within Sex	9.7%	57.1%	19.8%
	Transfusion	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Not Classified	Count	46	15	61
		% within Sex	22.2%	26.8%	23.2%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.5%	.0%	.4%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.5%	.0%	.4%
Total	Count	207	56	263	
	% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Laredo

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	16	16
		% within Adult-Ped	.0%	6.1%	6.1%
	African American	Count	0	5	5
		% within Adult-Ped	.0%	1.9%	1.9%
	Hispanic	Count	2	240	242
		% within Adult-Ped	100.0%	92.0%	92.0%
Total	Count	2	261	263	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. HSDA = Laredo